

A001. Issuance and Applicability

HQ Control: 11/16/04
HQ Revision: 050

- a. These operations specifications are issued to Helicomb International, Inc., a Domestic Repair Station, pursuant to Title 14 Code of Federal Regulations (CFR) Section 145.53. The repair station certificate holder shall conduct operations in accordance with CFR Part 145 and these operations specifications.

The certificate holder's address:


Fixed Location:
1402 S. 69th E. Ave
Tulsa, OK 74112

- b. The holder of these operations specifications is the holder of Certificate Number HV2R886K and shall hereafter be referred to as the certificate holder.
- c. These operations specifications are issued as part of this Repair Station Certificate, and are in effect as of the Date Approval is effective. This certificate and operations specifications shall remain in effect until the domestic repair station certificate is surrendered, suspended, or revoked.
- d. The repair station specified on these operations specifications performs maintenance and/or alteration of aircraft and/or aeronautical products to be installed on aircraft under the terms and conditions of a Bilateral Aviation Safety Agreement and associated Maintenance Implementation Procedures between the Federal Aviation Administration and a Foreign National Aviation Authority identified in Advisory Circular 145-8.

The certificate holder is authorized to use only the business name which appears on the certificate to conduct the operations described in subparagraph a.

Delegated authorities: None

-
1. Issued by the Federal Aviation Administration.
 2. Support information reference: A-001 being reissued to replace missing documents
 3. These Operations Specifications are approved by direction of the Administrator.


Stephens, Patrick K.

Principal Maintenance Inspector

SW15

4. Date Approval is effective: 1/22/09

Amendment Number: 5

5. I hereby accept and receive the Operations Specifications in this paragraph.


Smith, Shane

FAA Accountable Manager, 145

Date: 1/22/09

D100. Work to be Performed at a Place Other Than the
Repair Station Fixed Location(s)

HQ Control: 11/16/04
HQ Revision: 050

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
Emergency repair/alteration on a recurring basis.	HP-82-04, Rev. G, Section 7.	RSM HP-82-04, Rev. G, Section 7.

- b. The certificate holder may not perform continuous operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Sober, Gail G.

Principal Maintenance Inspector

SW15

3. Date Approval is effective: 4/18/05
4. I hereby accept and receive the Operations Specifications in this paragraph.

Amendment Number: 3


Austin, Robert

Agent for Service

Date: 4/18/05

TABLE OF CONTENTS

PART D - Additional Maintenance Authorizations & Limitations

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/04	04/18/05	3
107 Line Maintenance Authorization	11/16/04	(Not used)	

**A025. Electronic/Digital Recordkeeping System,
Electronic/Digital
Signature, and Electronic Media**

HQ Control: 11/16/04

HQ Revision: 00a

- a. The certificate holder is authorized to use an approved electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Repair Station Manual number HP-82-04, Section 12.


- b. The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

NONE

- c. The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

Repair station Manual number HP-82-04 Section 12

-
1. Issued by the Federal Aviation Administration.
 2. Support information reference: A-025 reissued to reflect updated manual reference.
 3. These Operations Specifications are approved by direction of the Administrator.


Stephens, Patrick K.


Principal Maintenance Inspector

SW15

4. Date Approval is effective: 1/22/09

Amendment Number: 1

5. I hereby accept and receive the Operations Specifications in this paragraph.


Smith, Shane

FAA Accountable Manager, 145

Date: 1/22/09

A007. Designated Persons

HQ Control: 12/19/06
HQ Revision: 030

- a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations

Title	Name	Parts Authorized
EASA Accountable Manager, 145 / President	Austin, Robert R	A,D
FAA Accountable Manager / Director of Quality	Smith, Shane	A,D


- b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Robert R. Austin	baustin@helicomb.com	918-835-3999	ALL
Shane Smith	shane.smith@helicomb.com	918-835-3999	ALL

1. Issued by the Federal Aviation Administration.
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.

Love, John A.




Principal Avionics Inspector

SW15

4. Date Approval is effective: 10/22/08
5. I hereby accept and receive the Operations Specifications in this paragraph.

Amendment Number: 5

Smith, Shane



FAA Accountable Manager, 145

Date: 10/22/08

A003. Ratings and Limitations

HQ Control: 01/30/04
HQ Revision: 010

The Certificate Holder is authorized the following Ratings and/or Limitations:

Class Ratings

None Authorized

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make / Model</u>	<u>Limitations</u>
Airframe	Augusta Westland Helicopter	Westland 30 series100, 100-60, A109, A109A, A109AII, A109C, A109E, A109K2, A109S, A119, ABI02, AB139, AB412, AB412EP, AS-61N, AS-61N1, AW139, EH101- 300, EH101-500.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data
Airframe	Bell Helicopter	47, 47B, 47B3, 47D, 47D1, 47E, 47G, 47G-2, 47G2-A, 47G- 2A1, 47G-3, 47G-3B, 47G- 3B1, 47G-3B2, 47G-3B2A, 47G-4, 47G-4A, 47G-5, 47G- 5A, 47H-1, 47J, 47J-2, 47J-2A, 47K, 204B, 205A, 205A-1, 205B, 206, 206A, 206A-1, 206B, 206B-1, 206B-3, 206L, 206L-1, 206L-3, 206L-4, 210, 212, 214B, 214B-1, 214ST, 222, 222B, 222U, 230, 407, 412, 412EP, 412CF, 427, 430.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make / Model</u>	<u>Limitations</u>
Airframe	Boeing Helicopter	114A, 42A, 42B, 44A, 44B.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data
Airframe	Eurocopter	AS-350B, AS-350B1, AS-350B2, AS-350B3, AS-350BA, AS-350C, AS-350D, AS-350D1, AS-365N2, AS-365N3, AS332C, AS332L, AS332L1, AS332L2, AS355E, AS355F, AS355F1, AS355F2, AS355N, BO-105A, BO-105C, BO-105LS A-1, BO-105LS A-3, BO-105S, EC120B, EC130B4, EC135, EC155B, EC155B1, MBB-BK-117A-1, MBB-BK-117A-3, MBB-BK-117A-4, MBB-BK-117B-I, MBB-BK-117B-2, MBB-BK-117C-1, MBB-BK-117C-2, SA-315B, SA-316B, SA-316C, SA-3180, SA-318B, SA-318C, SA-319B, SA-321F, SA-330F, SA-330G, SA-330J, SA-341G, SA-342J, SA-360C Dauphin, SA-365C, SA-365C1, SA-365C2, SA-365N, SA-365N1, SA-366G1, ES-3130, SE-313B, SE-3160.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data
Airframe	Garlick Helicopters	209/AH-1G, HH-1K, OH-58A, OH-58A+, OH-58C, TH-1F, TH-1L, UH-1B, UH-1E, UH-1F, UH-1H, UH-1L, UH-1P.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data

Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make / Model</u>	<u>Limitations</u>
Airframe	MD Helicopters	269A/A-1, 269B, 300B, 269C/300C, 369, 369A, 369D, 369E, 369F, 369FF, 369H, 369HE, 369HM, 369HS, 500, 500C, 500D, 500N, 600N, MD900.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data
Airframe	Sikorsky Helicopter	S-51, S-52-2, S-52-3, S-55, S-55B, S-55C, S-58A, S-58B, S-58BT, S-58C, S-58D, S-58DT, S-58E, S-58ET, S-58F, S-58FT, S-58G, S-58H, S-58HT, S-58J, S-58JT, S-61A, S-61D, S-61E, S-61L, S-61N, S-61NM, S-61R, S-61V, S-62A, S-70, S-70A, S-70C, S-70C, S-70C(M), S-70C(M1), S-76A, S-76B, S-76C, S-92A.	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data
PowerPlant	Pratt & Whitney	JT8D all series	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data


Limited Ratings

<u>Rating</u>	<u>Manufacturer</u>	<u>Make / Model</u>	<u>Limitations</u>
PowerPlant	General Electric	CF6-50	Repair and overhaul of metal and composite bonded structural components including sheet metal, bonded metal-to-metal, honeycomb, metal-to-composite and bonded non-metallic composite and fiberglass structures, when accomplished in accordance with the manufacturer's current data, Helicomb International Inc.'s Repair Specification RHP-003, as revised, or other FAA approved data

Limited Ratings - Specialized Services

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
---------------	-----------------------	--------------------

1. Issued by the Federal Aviation Administration.
2. Support information reference: A-003 is being reissued to replace missing documents
3. These Operations Specifications are approved by direction of the Administrator.


Stephens, Patrick K.


Principal Maintenance Inspector

SW15

4. Date Approval is effective: 1/22/09

Amendment Number: 4

5. I hereby accept and receive the Operations Specifications in this paragraph.


Smith, Shane

FAA Accountable Manager, 145

Date: 1/22/09

A002. Definitions and Abbreviations

HQ Control: 11/16/04
HQ Revision: 050

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in the Title 14 Code of Federal Regulations (CFR) Regulations and Title 49 United States Code as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**Bilateral Aviation
Safety Agreement
(BASA)**

An executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

Certificate Holder

In these operations specifications the term "certificate holder" shall mean the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

CFR

Code of Federal Regulations

Class rating

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**Domestic Repair
Station**

A certificated repair station located in the United States.

Exemption

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of CFR 14, Part 11.

**FAA Accountable
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

FAA Form 8000-4-1

The FAA Form 8000-4-1 has been replaced with the form contained within this operations specifications application (OPSS) for the generation of the 14 CFR Part 145 Repair Station Operations Specifications.

Foreign Repair Station

A certificated repair station located outside of the United States.

**Geographic
Authorization**


An approval provided to a foreign repair station to perform maintenance support under contract for a U.S. air carrier, or operator of U.S. - registered aircraft under 14 CFR Part 129, at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to the need of a U.S. air carrier or Part 129 foreign operator for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.

EASA

European Aviation Safety Agency

<u>EASA Accountable Manager</u>	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full member Authority.
<u>Limited Rating</u>	Rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<u>Limited Ratings - Specialized Services</u>	Rating issued for a special maintenance function when the function is performed in accordance with a specification or data acceptable to the Administrator.
<u>Line Maintenance</u>	Any unscheduled maintenance resulting from unforeseen events; or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<u>Maintenance</u>	The inspection, overhaul, repair, preservation, and the replacement of parts, but excludes preventive maintenance.
<u>Maintenance Implementation Procedures (MIP)</u>	Procedures for implementing the provisions of a BASA that apply to maintenance.
<u>MOE</u>	Maintenance Organization Exposition - Pertains to European Aviation Safety Agency member countries that use an MOE in place of a Repair Station Manual and a Quality Control Manual.
<u>Preventive Maintenance</u>	As defined in Appendix A subparagraph (c) of 14 CFR Part 43.
<u>QCM</u>	Quality Control Manual
<u>RSM</u>	Repair Station Manual
<u>Substantial Maintenance</u>	Any activity involving a C-check (routine airframe maintenance) or greater maintenance; any engine maintenance requiring case separation or teardown; and/or major alterations or major repairs performed on airframes, engines, or propellers.

1. Issued by the Federal Aviation Administration.
2. Support information reference: A-002 being reissued to replace missing documents
3. These Operations Specifications are approved by direction of the Administrator.


Stephens, Patrick K.


Principal Maintenance Inspector

SW15

4. Date Approval is effective: 1/22/09

Amendment Number: 5

5. I hereby accept and receive the Operations Specifications in this paragraph.



Smith, Shane

FAA Accountable Manager, 145

Date: 1/22/09

A449. Antidrug and Alcohol Misuse Prevention Program

HQ Control: 01/22/04
HQ Revision: 000

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 sightseeing operation as defined by 14 CFR §135.1(c).
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 121 appendices I and J and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

Table 1

	Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:
Telephone Number:	(A1) 918-835-3999
Address:	1402 S. 69th E. Ave
Address:	N/A
City:	TULSA
State:	OK
Zip code:	74112


d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

1. Issued by the Federal Aviation Administration.
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.

Love, John A.



Principal Avionics Inspector

SW15

4. Date Approval is effective: 10/22/08

Amendment Number: 4

5. I hereby accept and receive the Operations Specifications in this paragraph.



Smith, Shane

FAA Accountable Manager, 145

Date: 10/22/08